





(2)

2 Hole - Raised Countersunk Machine Screw - A2 Stainless Steel											
<		>				And					
Dimensions (mm)											
	M TYPE HOLE NSIONS AM3.5 6.4 Ref 1.9										
Material and Finish											
Material: Heat Treatment: Finish:	A2 Stainle None Passivate										
Part Numbers, Shea	ar Toque &	Box quantil	ties								
LENGTH	12mm	20mm	25mm	30mm	40mm	50mm	DRIVER SIZE				
M3.5	THRM3512	THRM3520	THRM3525	THRM3530	THRM3540	THRM3550	T4				
Addtional Informatio	on										
Patented Product: Hafren Fasteners											
Installation: 5-Lobe Pin - see video											
	Pin - see vid	90			2-way security fixing	- A	•				







2-Hole - Countersunk Head Metric Machine Screw- A2 Stainless Steel													
	\sum		7										
Dimensions (mm)													
SCREW TYPE METRIC MACHINE SCREWS													
\bigcirc	DIMENSION	5	МЗ		M 4			M5	M5		M6		
COUNTERSUNK	\square		5.5		7.3			9.0		10.7			
HEAD	Ref		1.7		2.2			2.5 3.0					
Material an	d Finish												
Material:		A2 S	tainless S	teel									
Heat Trea	tment:	None)										
Finish:		Pass	ivated										
Size & Part	Numbe	rs											
LENGTH GAUGE	6mm	8mm	10mm	12mm	16mm	20mm	25mm	30mm	35mm	40mm	DRIVER SIZE		
МЗ	THCM0306	THCM0308	THCM0310	THCM0312	THCM0316	THCM0320	THCM0325	THCM0330	THCM0335		TH3		
M4			THCM0410	THCM0412	THCM0416	THCM0420	THCM0425	THCM0430	THCM0435		TH5		
M5				THCM0512	THCM0516	THCM0520	THCM0525	THCM0530	THCM0535	THCM0540	TH6		
M6				THCM0612	THCM0616	THCM0620	THCM0625	THCM0630		THCM0640	TH8		
Addtional I	nformati	on											

Patented Product: Hafren Fasteners Installation: 5-Lobe Pin - see video Removal: 2-Way Removable Screw











2-Hole - Countersunk Head Self Tapping Screws - A2 Stainless Steel												
Dimensions (mm)												
AB TYPE SELF TAPPING SCREWS												
0)	DIMENSION		b.4	No.6		No.8	No. ⁻	No.10		, i	No.14
	ERSUNK	\square	5	.5	6.6		7.8	8.9		10.1		12.3
HE	AD	Ref	1	.7	2.1		2.5	3.0	0	3.4		3.9
Mate	erial an	d Finish										
Ma	aterial:		A2 S	tainless	Steel							
He	eat Trea	tment:	None	e								
Fir	nish:		Pass	ivated								
Size	& Part	Numbe	rs									
GAUGE	LENGTH	3/8" 9.5mm	1/2" 13mm	5/8" 16mm	3/4" 19mm	1" 25mm	1 ¹ /4" 32mm	1 ¹ /2" 38mm	2" 50mm	2 ¹ /2 ["] 63mm	DRIVER SIZE	
4	2.9mm	THCS04C	THCS04D		THCS04F	THCS04G	THCS04H	THCS04I			TH3	
6	3.5mm	THCS06C	THCS06D	THCS06E	THCS06F	THCS06G	THCS06H	THCS06I	THCS06J		TH4	
8	4.2mm	THCS08C	THCS08D	THCS08E	THCS08F	THCS08G	THCS08H	THCS08I	THCS08J		TH5	
10	4.8mm		THCS10D	THCS10E	THCS10F	THCS10G	THCS10H	THCS10I	THCS10J	THCS10K	TH6	
12	5.5mm					THCS12G	THCS12H	THCS12I	THCS12J		TH7	
14	6.3mm			THCS14E	THCS14F	THCS14G	THCS14H	THCS14I	THCS14J		TH8	

Addtional Information

Patented Product: Hafren Fasteners Installation: 5-Lobe Pin - see video Removal: 2-Way Removable Screw











2-Hole - Pan Head Metric Machine Screw- A2 Stainless Steel															
Dimensions	Dimensions (mm)														
SCREW TYPE METRIC MACHINE SCREWS															
\bigcirc		2-Hole					M4			M5		M 6			
PAN			5	.8	7.8				9.8			11.8			
HEAD				.7			2.4			2.9			3.5		
Material an	d Finis	sh													
Material:		A	2 Stain	less Ste	el										
Heat Trea	tment:	Ν	lone												
Finish:		F	Passivat	ed											
Size & Part	Numb	oers													
LENGTH GAUGE	6mm	8mm	10mm	12mm	16mm	20mm	25mm	30mm	35mm	40mm	45mm	50mm	60mm	DRIVER SIZE	
M3			THPM0310	THPM0312	THPM0316									TH3	
M 4	THPM0406	THPM0408	THPM0410	THPM0412	THPM0416	THPM0420	THPM0425	THPM0430				THPM0450		TH5	
M5		THPM0508	THPM0510	THPM0512	THPM0516	THPM0520	THPM0525	THPM0530		THPM0540		THPM0550	THPM0560	TH6	
M 6				THPM0612	THPM0616	THPM0620	THPM0625	THPM0630	THPM0635	THPM0640	THPM0645	THPM0650	THPM0660	TH8	
Addtional II	nforma	ation													

Patented Product: Hafren Fasteners Installation: 5-Lobe Pin - see video Removal: 2-Way Removable Screw











2-Hole - Pan Head Self Tapping Screws - A2 Stainless Steel **Dimensions (mm)** SCREW TYPE **AB TYPE SELF TAPPING SCREWS** 2-Hole No.10 No.6 No.8 No.12 No.14 DIMENSIONS No.4 5.4 6.7 8.0 9.2 10.5 12.2 ΡΔΝ HEAD G 1.6 2.0 2.3 2.7 3.1 3.5 Material and Finish Material: A2 Stainless Steel **Heat Treatment:** None Finish: Passivated Size & Part Numbers LENGTH 3/8" 1/2" 5/8" 3/4" 1" **1**¹/4" **1**¹/₂" 2" 21/2" DRIVER SIZE GAUGE 9.5mm 13mm 32mm 63mm 16mm 19mm 25mm 38mm 50mm 2.9mm THPS04C THPS04D THPS04E THPS04F THPS04G THPS04I TH3 4 6 3.5mm THPS06C THPS06D THPS06E THPS06F THPS06G THPS06H THPS06I THPS06J TH4 THPS08C THPS08D THPS08E THPS08F THPS08G THPS08H THPS08I THPS08J TH5 8 4.2mm THPS10C THPS10D THPS10E THPS10F THPS10G THPS10H THPS10I THPS10J THPS10K TH6 10 4.8mm TH7 12 5.5mm THPS12D THPS12G THPS12H THPS12I THPS12J 14 6.3mm THPS14E THPS14F THPS14G THPS14H THPS14I THPS14J TH8

Addtional Information

Patented Product: Hafren Fasteners Installation: 5-Lobe Pin - see video Removal: 2-Way Removable Screw



