




Shear Nut - A2 Stainless Steel



Dimensions (mm)

DIMENSIONS	SIZE							
	M4	M5	M6	M8	M10	M12	M16	M20
AF	7.0	10.0	10.0	13.0	17.0	19.0	24.0	30.0
B	9.1	9.1	9.5	12.0	15.0	16.0	22.0	30.0

Material and Finish

Material: A2 Stainless Steel
Heat Treatment: None
Finish: Self Colour

Part Numbers & Shear Torque

SIZE	M4	M5	M6	M8	M10	M12	M16	M20
PART NUMBER	SHN04-S	SHN05-S	SHN06-S	SHN08-S	SHN10-S	SHN12-S	SHN16-S	SHN20-S
SHEAR TORQUE (nm)	5-9	7-12	7-14	14-28	40-56	55-70	74-90	100-113

Additional Information

Installation: Uses standard hex spanner or socket
Removal: 1-Way Permanent fixing only
Security Rating: 4 out of 5 High Security


- ✓ High security permanent fixing
- ✓ Installed using standard tools
- ✓ Leaves a tamper resistant cone



Every effort has been made to ensure the accuracy of information provided in this datasheet. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.



Shear Nut - A4 Stainless Steel



Dimensions (mm)

DIMENSIONS		SIZE				
		M6	M8	M10	M12	M16
AF		10.0	13.0	17.0	20.0	24.0
B		9.5	12.0	15.0	16.0	22.0

Material and Finish

Material: A4 Stainless Steel
Heat Treatment: None
Finish: Self Colour

Part Numbers, Shear Torque & Box Quantities

PART NUMBER		SIZE				
		M6	M8	M10	M12	M16
SHEAR TORQUE		7-14	14-28	40-56	55-70	74-90

Additional Information

Installation: Uses standard hex spanners or socket

See Video:

Removal: 1-Way Permanent fixing only


Shear Nuts

- ✓ High security permanent fixing
- ✓ Installed using standard tools
- ✓ Leaves a tamper resistant cone

Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.



Shear Nut - Bright Zinc Plated



Dimensions (mm)

DIMENSIONS	SIZE						
	M6	M8	M10	M12	M16	M20	M24
AF	13.0	17.0	19.0	22.0	24.0	30.0	36.0
B	13.9	15.8	18.9	21.9	23.8	31.8	34.5

Material and Finish

Material: Mild Steel
Heat Treatment: None
Finish: Bright Zinc Plated (Cr3)

Part Numbers & Shear Torque

PART NUMBER	SIZE						
	M6	M8	M10	M12	M16	M20	M24
SHEAR TORQUE (nm)	7-14	14-28	34-48	45-62	74-90	100-140	360-420

Additional Information

Installation: Uses standard hex spanner or socket


Removal: 1-Way Permanent fixing only

- ✓ High security permanent fixing
- ✓ Installed using standard tools
- ✓ Leaves a tamper resistant cone

Every effort has been made to ensure the accuracy of information provided in this datasheet. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.



Shear Nut - Galvanised



Dimensions (mm)

DIMENSIONS	SIZE	M8	M10	M12	M16	M20
	AF		17.0	19.0	22.0	24.0
B		16.8	18.9	21.9	23.8	31.8
C		N/A	N/A	N/A	N/A	2.9
D		7.2	9.2	9.2	11.5	18.8

Material and Finish

Material: Mild Steel
Heat Treatment: None
Finish: Galvanised

Part Numbers, Shear Torque & Box Quantities

PART NUMBER	SIZE	M8	M10	M12	M16	M20
			SHN08-G	SHN10-G	SHN12-G	SHN16-G
SHEAR TORQUE	lb/ft	10-15	23-28	38-44	54-60	72-82
	nm	14-20	31-38	52-60	74-82	100-113

Additional Information

Installation: Uses standard hex spanners or socket

See Video:

Removal: 1-Way Permanent fixing only

- ✓ High security permanent fixing
- ✓ Installed using standard tools
- ✓ Leaves a tamper resistant cone

Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.