





## Pin Hex - Button Head Machine Screws - A2 Stainless Steel



### Dimensions (mm)

	SCREW TYPE <b>PIN HEX</b>	METRIC MACHINE SCREWS						
	DIMENSIONS	M3	M4	M5	M6	M8	M10	M12
BUTTON HEAD		5.5	7.4	9.3	10.3	13.7	17.1	20.4
	 Ref	1.5	2.2	2.7	3.2	4.4	5.6	6.5

### Material and Finish

**Material:** A2 Stainless Steel

**Heat Treatment:** None

**Finish:** Passivated

### Size & Part Numbers


LENGTH GAUGE	8 mm	10 mm	12 mm	16 mm	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm	60 mm	80 mm	100 mm	120 mm	DRIVER SIZE
M3		PHBM 0310-M	PHBM 0312-M	PHBM 0316-M	PHBM 0320-M										HM2
M4	PHBM 0408-M	PHBM 0410-M	PHBM 0412-M	PHBM 0416-M	PHBM 0420-M	PHBM 0425-M	PHBM 0430-M		PHBM 0440-M						HM2.5
M5		PHBM 0510-M	PHBM 0512-M	PHBM 0516-M	PHBM 0520-M	PHBM 0525-M	PHBM 0530-M		PHBM 0540-M	PHBM 0550-M	PHBM 0560-M				HM3
M6		PHBM 0610-M	PHBM 0612-M	PHBM 0616-M	PHBM 0620-M	PHBM 0625-M	PHBM 0630-M		PHBM 0640-M	PHBM 0650-M	PHBM 0660-M				HM4
M8			PHBM 0812-M	PHBM 0816-M	PHBM 0820-M	PHBM 0825-M	PHBM 0830-M	PHBM 0835-M	PHBM 0840-M	PHBM 0850-M	PHBM 0860-M				HM5
M10				PHBM 1016-M	PHBM 1020-M	PHBM 1025-M	PHBM 1030-M		PHBM 1040-M	PHBM 1050-M	PHBM 1060-M		PHBM 10100-M		HM6
M12					PHBM 1220-M	PHBM 1225-M	PHBM 1230-M		PHBM 1240-M	PHBM 1250-M	PHBM 1260-M	PHBM 1280-M		PHBM 12120-M	HM8

### Additional Information

**Patented Product:** Hafren Fasteners


**Installation:** Pin Hex - see video

**Removal:** 2-Way Removable Screw






Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.

## Pin Hex - Button Head Self Tapping Screws - A2 Stainless Steel



### Dimensions (mm)

	SCREW TYPE <b>PIN HEX</b>  DIMENSIONS	SELF TAPPING SCREWS				
		No. 6	No. 8	No. 10	No. 12	No. 14
		3.5mm	4.2mm	4.8mm	5.5mm	6.3mm
BUTTON HEAD		6.7	7.4	9.3	10.3	11.0
	 Ref	2.5	2.1	2.6	3.2	3.4

### Material and Finish

<b>Material:</b>	A2 (304) Stainless Steel
<b>Heat Treatment:</b>	None
<b>Finish:</b>	Passivated

### Part Numbers & Driver Size


LENGTH GAUGE		3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	DRIVER SIZE
		9.5mm	13mm	16mm	19mm	25mm	32mm	38mm	50mm	63mm	
6	3.5mm	PHBS 06C-M	PHBS 06D-M	PHBS 06E-M	PHBS 06F-M	PHBS 06G-M		PHBS 06I-M			HM2
8	4.2mm	PHBS 08C-M	PHBS 08D-M	PHBS 08E-M	PHBS 08F-M	PHBS 08G-M	PHBS 08H-M	PHBS 08I-M	PHBS 08J-M		HM2.5
10	4.8mm		PHBS 10D-M	PHBS 10E-M	PHBS 10F-M	PHBS 10G-M	PHBS 10H-M	PHBS 10I-M	PHBS 10J-M	PHBS 10K-M	HM3
12	5.5mm				PHBS 12F-M	PHBS 12G-M	PHBS 12H-M	PHBS 12I-M	PHBS 12J-M		HM4
14	6.3mm				PHBS 14F-M	PHBS 14G-M	PHBS 14H-M	PHBS 14I-M	PHBS 14J-M		HM4

### Additional Information

**Patented Product:** Hafren Fasteners


**Installation:** Pin Hex - see video

**Removal:** 2-Way Removable Screw






Every effort has been made to ensure the accuracy of information provided in this datasheet. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.

## Pin Hex - Countersunk Machine Screw - A2 Stainless Steel



### Dimensions (mm)

	SCREW TYPE <b>PIN HEX</b> DIMENSIONS	METRIC MACHINE SCREWS						
		M3	M4	M5	M6	M8	M10	M12
COUNTERSUNK HEAD		5.7	7.7	9.8	11.8	15.2	19.3	23.2
		1.7	2.3	2.8	3.3	5.0	6.7	7.4

### Material and Finish

**Material:** A2 Stainless Steel

**Heat Treatment:** None

**Finish:** Passivated

### Part Numbers


GAUGE	LENGTH											DRIVER SIZE
	8mm	10mm	12mm	16mm	20mm	25mm	30mm	35mm	40mm	50mm	60mm	
M3		PHCM 0310-M	PHCM 0312-M	PHCM 0316-M	PHCM 0320-M							HM2
M4	PHCM 0408-M	PHCM 0410-M	PHCM 0412-M	PHCM 0416-M	PHCM 0420-M	PHCM 0425-M	PHCM 0430-M		PHCM 0440-M			HM2.5
M5	PHCM 0508-M	PHCM 0510-M	PHCM 0512-M	PHCM 0516-M	PHCM 0520-M	PHCM 0525-M	PHCM 0530-M		PHCM 0540-M	PHCM 0550-M	PHCM 0560-M	HM3
M6	PHCM 0608-M	PHCM 0610-M	PHCM 0612-M	PHCM 0616-M	PHCM 0620-M	PHCM 0625-M	PHCM 0630-M		PHCM 0640-M	PHCM 0650-M	PHCM 0660-M	HM4
M8			PHCM 0812-M	PHCM 0816-M	PHCM 0820-M	PHCM 0825-M	PHCM 0830-M	PHCM 0835-M	PHCM 0840-M	PHCM 0850-M	PHCM 0860-M	HM5
M10					PHCM 0820-M	PHCM 0825-M	PHCM 0830-M		PHCM 0840-M	PHCM 0850-M	PHCM 0860-M	HM6
M12					PHCM 0820-M	PHCM 0825-M	PHCM 0830-M		PHCM 0840-M	PHCM 0850-M	PHCM 0860-M	HM8

### Additional Information

**Patented Product:** Hafren Fasteners


**Installation:** Pin Hex - see video

**Removal:** 2-Way Removable Screw






Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.

## Pin Hex - Countersunk Self Tapping Screws - A2 Stainless Steel



### Head Dimensions

	SCREW TYPE	SELF TAPPING SCREWS				
	PIN HEX	No. 6	No. 8	No. 10	No. 12	No. 14
	DIMENSIONS	3.5mm	4.2mm	4.8mm	5.5mm	6.3mm
COUNTERSUNK HEAD		6.6	7.9	9.3	10.4	12.4
		2.1	2.5	3.0	3.4	3.8

### Material and Finish

<b>Material:</b>	A2 Stainless Steel
<b>Heat Treatment:</b>	None
<b>Finish:</b>	Passivated

### Part Numbers

LENGTH		3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	DRIVER SIZE
GAUGE		9.5mm	13mm	16mm	19mm	25mm	32mm	38mm	50mm	63mm	
6	3.5mm	PHCS 06C-M	PHCS 06D-M	PHCS 06E-M	PHCS 06F-M	PHCS 06G-M		PHCS 06I-M			HM2
8	4.2mm		PHCS 08D-M	PHCS 08E-M	PHCS 08F-M	PHCS 08G-M	PHCS 08H-M	PHCS 08I-M	PHCS 08J-M		HM2.5
10	4.8mm		PHCS 10D-M	PHCS 10E-M	PHCS 10F-M	PHCS 10G-M	PHCS 10H-M	PHCS 10I-M	PHCS 10J-M	PHCS 10K-M	HM3
12	5.5mm				PHCS 12F-M	PHCS 12G-M	PHCS 12H-M	PHCS 12I-M	PHCS 12J-M		HM4
14	6.3mm				PHCS 14F-M	PHCS 14G-M	PHCS 14H-M	PHCS 12I-M	PHCS 12J-M		HM4


### Additional Information

**Patented Product:** Hafren Fasteners

**Installation:** Pin Hex - see video

**Removal:** 2-Way Removable Screw

- 
- ✓ Hexagon socket with internal pin
  - ✓ Medium torque drive
  - ✓ Available in multiple heads and threads






(2)

Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.

## Pin Hex - Raised Countersunk Machine Screw - A2 Stainless Steel



### Dimensions (mm)

	SCREW TYPE	
	<b>PIN HEX</b>	
	DIMENSIONS	
		<b>M3.5</b>
<b>RAISED COUNTERSUNK HEAD</b>		<b>6.4</b>
	 Ref	<b>1.8</b>

### Material and Finish

<b>Material:</b>	A2 Stainless Steel
<b>Heat Treatment:</b>	None
<b>Finish:</b>	Passivated

### Part Numbers


LENGTH GAUGE	12mm	20mm	25mm	30mm	40mm	50mm	DRIVER SIZE
<b>M3.5</b>	PHRM3512	PHRM3520	PHRM3525	PHRM3530	PHRM3540	PHRM3550	H30

### Additional Information

**Patented Product:** Hafren Fasteners

**Installation:** Pin Hex - see video

**Removal:** 2-Way Removable Screw



Every effort has been made to ensure the accuracy of information provided in this datasheet. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.