

Clutch Head - Countersunk Head Self Tappers - A2 Stainless Steel



Dimensions (mm)

SCREW TYPE Clutch Head DIMENSIONS	SELF TAPPING SCREWS		
	No. 6	No. 8	No. 10
	3.5mm	4.2mm	4.8mm
COUNTERSUNK HEAD	6.8	8.1	9.4
	Ref 3.2	3.8	4.4

Material and Finish

Material: A2 Stainless Steel
Heat Treatment: None
Finish: Passivated

Size & Part Numbers


GAUGE \ LENGTH		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	DRIVER SIZE
		13mm	19mm	25mm	32mm	38mm	50mm	
6	3.5mm		CHCS06F	CHCS06G				RT41
8	4.2mm	CHCS08D	CHCS08F	CHCS08G	CHCS08H	CHCS08I	CHCS08J	RT51
10	4.8mm			CHCS10G	CHCS10H	CHCS10I	CHCS10J	RT61

Additional Information

Patented Product: Hafren Fasteners

Installation: Clutch Head - see video

Removal: 1-Way Removable Screw



Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.

Clutch Head - Countersunk Head Woodscrews - Bright Zinc Plated Steel



Dimensions (mm)

SCREW TYPE Clutch Head DIMENSIONS		WOODSCREWS			
		No. 6	No. 8	No. 10	No. 12
		3.5mm	4.2mm	4.8mm	5.5mm
COUNTERSUNK HEAD		7.0	8.3	9.3	11.0
	Ref	3.5	4.6	5.0	5.4

Material and Finish

Material:	Mild Steel
Heat Treatment:	None
Finish:	Bright Zinc Plated (Cr3)

Size & Part Numbers


GAUGE \ LENGTH		3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	DRIVER SIZE
		19mm	25mm	32mm	38mm	50mm	63mm	75mm	
6	3.5mm	CHCW06F			CHCW06I				RT41
8	4.2mm	CHCW08F	CHCW08G	CHCW08H	CHCW08I	CHCW08J			RT51
10	4.8mm		CHCW10G	CHCW10H	CHCW10I	CHCW10J			RT51
12	5.5mm				CHCW12I	CHCW12J	CHCW12K	CHCW12L	RT51

Additional Information

Patented Product: Hafren Fasteners


Installation: Clutch Head - see video

Removal: 1-Way Removable Screw



Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.

Clutch Head - Round Head Machine Screws - A2 Stainless Steel



Dimensions (mm)

SCREW TYPE Round Head DIMENSIONS		MACHINE SCREWS				
		M3	M4	M5	M6	M8
ROUND HEAD		6.0	7.6	9.5	10.5	13.0
	Ref	2.4	3.0	3.3	3.7	5.1

Material and Finish

Material: A2 Stainless Steel

Heat Treatment: None

Finish: Passivated

Size & Part Numbers


LENGTH	8 mm	10 mm	12 mm	16 mm	20 mm	25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	60 mm
GAUGE												
M3											CHRM 0350	
M4	CHRM 0408	CHRM 0410	CHRM 0412	CHRM 0416	CHRM 0420	CHRM 0425	CHRM 0430	CHRM 0435	CHRM 0440	CHRM 0445		
M5		CHRM 0510	CHRM 0512	CHRM 0516	CHRM 0520	CHRM 0525	CHRM 0530	CHRM 0535	CHRM 0540	CHRM 0545	CHRM 0550	
M6			CHRM 0612		CHRM 0620	CHRM 0625	CHRM 0630		CHRM 0640		CHRM 0650	
M8			CHRM 0812		CHRM 0820		CHRM 0830		CHRM 0840		CHRM 0850	CHRM 0860

Additional Information

Patented Product: Hafren Fasteners


Installation: Clutch Head - see video

Removal: 1-Way Removable Screw



Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.

Clutch Head - Round Head Self Tapping Screws - A2 Stainless Steel



Dimensions (mm)



SCREW TYPE Clutch Head DIMENSIONS

SELF TAPPING SCREWS

		No.4	No. 6	No. 8	No. 10	No. 12	No. 14
		2.9mm	3.5mm	4.2mm	4.8mm	5.5mm	6.3mm
ROUND HEAD			6.6	7.9	9.1		12.0
	Ref		2.6	3.1	3.5		4.5

Material and Finish

Material: A2 Stainless Steel

Heat Treatment: None

Finish: Passivated

Size & Part Numbers


LENGTH		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
		13mm	19mm	25mm	32mm	38mm	50mm
GAUGE	4	CHRS04D	CHRS04F				
	6	CHRS06D	CHRS06F	CHRS06G	CHRS06H		
	8	CHRS08D	CHRS08F	CHRS08G	CHRS08H	CHRS08I	CHRS08J
	10	CHRS10D	CHRS10F	CHRS10G	CHRS10H	CHRS10I	CHRS10J
	12			CHRS12G		CHRS12I	
	14	CHRS14D	CHRS14F	CHRS14G		CHRS14I	CHRS14J
	16						

Additional Information

Patented Product: Hafren Fasteners

Installation: Clutch Head - see video

Removal: 1-Way Removable Screw



Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.